CASE STUDY



Age: 1 year old Breathing: Normal Crying: No Date of Last Dose: 6 months ago

CASE STUDY



Age: 4 years old Breathing: Normal Crying: No Date of Last Dose: 6 months ago

CASE STUDY



Age: 11 months old Breathing: Normal Crying: No Date of Last Dose: Never

CASE STUDY



Age: 3 1/2 years old Breathing: Normal Crying: No Date of Last Dose: 6 months ago

CASE STUDY




Age: 1 year old Breathing: Normal Crying: No Date of Last Dose: 6 months ago



CASE STUDY

Age: 2 years old Breathing: Normal Crying: No Date of Last Dose: 6 months ago Other: Coughing

Page 1



CASE STUDY



Age: 2 ½ years old Breathing: Normal Crying: No Date of Last Dose: 6 months ago

CASE STUDY



Age: 7 months old Breathing: Normal Crying: No Date of Last Dose: Nerver Other: Received vaccinations today

CASE STUDY




Age: 1 year old Breathing: Normal Crying: No Date of Last Dose: 6 months ago Other: Slight cold

CASE STUDY



Age: 3 years old Breathing: Normal Crying: No Date of Last Dose: 6 months ago



🗙 vıtamın angels

💙 vıtamın angels*

and

ANSWER 10:

Red vitamin A capsule and **Full deworming tablet**

ANSWER 9:

Red vitamin A capsule and 1/2 deworming tablet

> A slight cold is OK as long as the breathing is easy.





CASE STUDY



Age: 3 months old Breathing: Normal Crying: No Date of Last Dose: Never

CASE STUDY



Age: 5 years oldBreathing: NormalCrying: NoDate of Last Dose:5 months ago

CASE STUDY



Age: 4 years old Breathing: Fast or very difficult Crying: No Date of Last Dose: 6 months ago

CASE STUDY



Age: 1½ years old Breathing: Normal Crying: No Date of Last Dose: Less than 1 month ago

CASE STUDY



Age: 2 ½ years old Breathing: Normal Crying: Yes Date of Last Dose: 6 months ago

ANSWER 13:

Do not provide **VAS+D** services

Do not provide services to children with severe difficulty breathing. Send the child immediately to the nearest health facility.



ANSWER 12:

Do not provide **VAS+D** services

Vitamin Angels does not provide VAS+D for children 5 years old and older. Parent should check other sources for deworming.



vıtamın angels^{*}

ANSWER 11:

Do not provide **VAS+D** services

Child is too young to receive VAS+D.



ANSWER 15:

Do not provide **VAS+D** services

Do not give VAS+D while the child is crying. Wait until the child is calm.

vıtamın angels*

ANSWER 14:

Do not provide **VAS+D** services

Wait at least 30 days before getting VAS+D again. Recommended dosing is every 4-6 months.

vıtamın angels[®]